



LAMBDA 55 series



Multiled



5,5 mt. Max Height



Manual Lifting



**NO CO2
Emissions**



**NO Noise
Emissions**



PRESTAZIONI – FEATURE – PERFORMANCE				
Fari	Floodlights	Projecteurs	4 x 75W	4 x 160W
Area illuminata	Lighting area	Surface éclairée	1500 mq	2400 mq
Lumen	Lumen	Lumen	36900	81400
Tensione	Voltage	Voltage	230V	
Frequenza	Frequency	Fréquence	50Hz	
Temperatura di funzionamento	Operating temperature	Température de fonctionnement	-30°/ 50° C	
Consumo di energia	Energy consumption	Consommation d'énergie	0,64 KW	

PALO – MAST – MÂT			
Altezza massima	Max height	Hauteur max	5,5 m
Sollevamento	Lifting	Levage	Manuale – Manual - Manuel
Sezioni del palo	Tower Section	Extensions	4
Rotazione	Turning angle	Rotation	NO
Stabilizzatori manuali	Manual stabilizer	Stabilizateurs manuel	4
Resistenza massima al vento	Max wind rating	Résistance au vente	80 Km/h

DIMENSIONI E PESO - DIMENSIONS AND WEIGHT - DIMENSIONS ET POIDS			
Dimensioni min	Min dimension	Dimensions min	335x640x2039 mm
Dimensioni max	Max dimension	Dimensions max	2210x2210x5500 mm
Peso	Weight	Poids	106 kg






AURORA
LIGHTINGTOWERS

AURORA LIGHTING TOWERS
Brand of Green Power Systems srl
Loc. Maiano sn 61028
Sassocorvaro Auditore (PU)
Italia

MADE IN ITALY

P + 39 0722 726411
F + 39 0722 720092
W www.auroralightingtowers.it
E info@auroralightingtowers.it
W www.eptagruppo.com

DISEGNI - DRAWS - DESSINS



- Le specifiche tecniche sono soggette a variazioni senza preavviso
- The technical specifications are exposed to alterations without notice
- Nous nous réservons le droit de changer les spécifications techniques sans préavis